

Quiz at the LDAN Homelessness Forum 16 June 2010

Team name.....

Round 1: Spot the drug

The drug boxes contain different substances labelled numbered 1 to 24. Match the number of the different drugs to the descriptions below. 1 point per correct answer plus a bonus 5 points if you get 100% correct.

Herbal cannabis	LSD	Tobacco
Alcohol	Khat	Cocaine powder
Heroin and foil	Ketamine	Solvents
Amphetamine	Opium	Magic mushrooms
Crack cocaine	Crystal meth	Cannabis bong
Anabolic steroids	GHB/GBL	Heroin for injecting
Pharmaceuticals	Alky Nitrite/Poppers	Cannabis plant
Cannabis resin	Ecstasy	Methadone

Round 1 score: /24

Round 2: Q&A

Marcus Roberts, quiz master extraordinaire and part-time Director of Policy, tests your knowledge with a dozen nuggets of drug trivia...

1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.
13.

Round 2 score: /13

Round 3: True or false

Out of the eight statements read out identify which ones are true and which are false...

1. TRUE/FALSE
2. TRUE/FALSE
3. TRUE/FALSE
4. TRUE/FALSE
5. TRUE/FALSE
6. TRUE/FALSE
7. TRUE/FALSE
8. TRUE/FALSE
9. TRUE/FALSE
10. TRUE/FALSE

Round 3 score: /10

Round 4:

Which drugs do the following descriptions of side-effects relate to:

“Depressant drug used daily by 13% of men and 7% of women. Heightened risk of overdose when mixed with other drugs. Physical dependence and tolerance develop, withdrawal includes shaking, anxiety and delirium and can be fatal. Long-term use linked to heart and liver damage.”

Answer.....

“Sedative drug used by around 275,000 people in England. Slows down body functioning, gives feeling of warmth, relaxation and calm. Initial use can result in nausea and vomiting. Tolerance develops quickly, users can become physically dependent on the drug. Withdrawal brings on flu-like symptoms including aches, tremor, sweating and chills.”

Answer.....

“Sedative drug which slows reactions and makes people drowsy, lethargic and forgetful. Relieves anxiety and tension and can make people feel relaxed. Long-term physical dependence can develop quickly, sudden withdrawal from high dosages can be very dangerous and result in convulsions.”

Answer.....

Round 4 score: /3

Round 5: Numbers round

Match the numbers to the statements below

£406m	6,627	713	£600,000	£15.4bn	48	£20bn	86,500
-------	-------	-----	----------	---------	----	-------	--------

- NTA's pooled treatment budget allocation for adult drug treatment in 2008/09:
- Average PCT spend on alcohol treatment services:
- Cost of alcohol-related health, crime and disorder problems per year:
- Estimated health and social costs of Class A drugs per year:
- Number of deaths linked to heroin in 06:
- Number of deaths linked to tobacco in 06:
- Number of deaths linked to alcohol in 06:
- Number of deaths linked to ecstasy in 06:

Round 5 score: /8

TOTAL SCORE: /58